CERTIFICATE OF ANALYSIS

ACCURATE
TEST LAB

Customer: Honest PPD
1038 Arlington St
Orlando, FL 32805

Batch #: SG9CP24032001

Laboratory Number: ATL-22707

Report Issue Date: 8/13/2024

Order Date: 7/17/2024

Analysis Date: 8/12/2024

Sample Description:

Space Gods 900mg Gummy - Citrus Punch

Unit Weight: 11.3236g / Gummy

Extraction Technician: AA

Analytical Chemist: AA

Kim Dang
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Etofenprox	ND	PASS	Pyridaben	ND	PASS
Acequinocyl	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	ND	PASS	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiamethoxam	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Trifloxystrobin	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS			
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metalaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocarb	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzene	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	ND	PASS			
Diazinon	ND	PASS	Phosmet-	ND	PASS			
Dichlorvos	ND	PASS	Piperonyl butoxide-	ND	PASS			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			
Ethoprophos	ND	PASS	Pyrethrins	ND	PASS			

NOTES

Not tested due to sample interference: Bifenazate.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected
T:Trace Cannabinoids detected but are below limit of quantification.
1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA. (954) 515 - 0200