

CERTIFICATE OF ANALYSIS



Customer: Honest PPD
1038 Arlington St
Orlando, FL 32805

Batch #: SH2WM24050701
Laboratory Number: ATL-22680

Report Issue Date: 7/22/2024
Order Date: 7/17/2024
Analysis Date: 7/19/2024

Sample Description:

Space Gods Space Heads 120mg 2pk
Gummy - Watermelon

Unit Weight: 11.2053g / Gummy



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	27.789	0.248
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	24.764	0.221
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/gummy	%
	24.76	0.22

Total Active Cannabinoids	mg/gummy	%
	52.55	0.47

Max Active CBD	mg/gummy	%
	27.79	0.25

Total Cannabinoids	mg/gummy	%
	52.55	0.47

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

