



Certificate of Analysis
Compliance Test

Client Information:

SPACE GODS

2413 S BROADWAY
SANTA ANA, CA 92707

Order # SPA240923-010001
Order Date: 2024-09-23
Sample # AAFZ318

Batch # SG120PL24050701
Batch Date: 2024-09-16
Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2024-09-23
Lab Batch Date: 2024-09-23
Completion Date: 2024-09-26

Initial Gross Weight: 74.000 g



Product Image



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed

Total Yeast and Mold

Specimen Weight: 500.200 mg

Dilution Factor: 8.000

| Analyte | Action Level (cfu/g) | LOQ (cfu/g) | Result (cfu/g) |
|------------------|----------------------|-------------|----------------|
| Total Yeast/Mold | 100000 | 1000 | <LOQ |

Passed

SOP13.017 (qPCR)



Pathogenic Microbiology SAE (MicroArray)

Passed

SOP13.019 (Micro Array)

Specimen Weight: 1025.500 mg

Dilution Factor: 1.000

| Analyte | Result (cfu/g) | Analyte | Result (cfu/g) |
|-----------------------|----------------|---------------------|----------------|
| Aspergillus flavus | Absence in 1g | Aspergillus terreus | Absence in 1g |
| Aspergillus fumigatus | Absence in 1g | Salmonella | Absence in 1g |
| Aspergillus niger | Absence in 1g | STEC E. Coli | Absence in 1g |

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003
CLIA No. 10D1094068

Certificate of Analysis
Compliance Test

Client Information:

SPACE GODS

2413 S BROADWAY
SANTA ANA, CA 92707

Batch # SG120PL24050701
Batch Date: 2024-09-16
Extracted From: Hemp

Test Reg State: Florida

Order # SPA240923-010001
Order Date: 2024-09-23
Sample # AAFZ318

Sampling Date: 2024-09-23
Lab Batch Date: 2024-09-23
Completion Date: 2024-09-26

Initial Gross Weight: 74.000 g



Heavy Metals

Specimen Weight: 247.200 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 202

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83 | 100 | 1500 | <LOQ | Lead (Pb) | 11.76 | 100 | 500 | <LOQ |
| Cadmium (Cd) | .64 | 100 | 500 | <LOQ | Mercury (Hg) | .58 | 100 | 3000 | <LOQ |



Mycotoxins

Specimen Weight: 608.600 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6 | 20 | <LOQ | Aflatoxin G2 | 2.7100E-1 | 6 | 20 | <LOQ |
| Aflatoxin B2 | 7.7000E-2 | 6 | 20 | <LOQ | Ochratoxin A | 7.5400E-1 | 3.8 | 20 | <LOQ |
| Aflatoxin G1 | 3.0400E-1 | 6 | 20 | <LOQ | | | | | |



Residual Solvents - FL (CBD)

Specimen Weight: 18.800 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094 | 0.16 | 8 | <LOQ | Heptane | 0.0013 | 1.39 | 5000 | <LOQ |
| 1,2-Dichloroethane | 0.0003 | 0.04 | 5 | <LOQ | Hexane | 0.068 | 1.17 | 290 | <LOQ |
| Acetone | 0.015 | 2.08 | 5000 | <LOQ | Isopropyl alcohol | 0.0048 | 1.39 | 500 | <LOQ |
| Acetonitrile | 0.06 | 1.17 | 410 | <LOQ | Methanol | 0.0005 | 0.69 | 3000 | 38.571 |
| Benzene | 0.0002 | 0.02 | 2 | <LOQ | Methylene chloride | 0.0029 | 2.43 | 600 | <LOQ |
| Butanes | 0.4167 | 2.5 | 2000 | <LOQ | Pentane | 0.037 | 2.08 | 5000 | <LOQ |
| Chloroform | 0.0001 | 0.04 | 60 | <LOQ | Propane | 0.031 | 5.83 | 2100 | <LOQ |
| Ethanol | 0.0021 | 2.78 | 5000 | <LOQ | Toluene | 0.0009 | 2.92 | 890 | <LOQ |
| Ethyl Acetate | 0.0012 | 1.11 | 5000 | <LOQ | Total Xylenes | 0.0001 | 2.92 | 2170 | <LOQ |
| Ethyl Ether | 0.0049 | 1.39 | 5000 | <LOQ | Trichloroethylene | 0.0014 | 0.49 | 80 | <LOQ |
| Ethylene Oxide | 0.0038 | 0.1 | 5 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

SPACE GODS

2413 S BROADWAY
SANTA ANA, CA 92707

Batch # SG120PL24050701
Batch Date: 2024-09-16
Extracted From: Hemp

Test Reg State: Florida

Order # SPA240923-010001
Order Date: 2024-09-23
Sample # AAFZ318

Sampling Date: 2024-09-23
Lab Batch Date: 2024-09-23
Completion Date: 2024-09-26

Initial Gross Weight: 74.000 g



Pesticides

Specimen Weight: 608.600 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.460

| Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin | 2.8800E-1 | 28.23 | 300 | <LOQ | Fludioxonil | 1.7400E+0 | 48 | 3000 | <LOQ |
| Acephate | 2.3000E-2 | 30 | 3000 | <LOQ | Hexythiazox | 4.9000E-2 | 30 | 2000 | <LOQ |
| Acequinocyl | 9.5640E+0 | 48 | 2000 | <LOQ | Imazalil | 2.4800E-1 | 30 | 100 | <LOQ |
| Acetamiprid | 5.2000E-2 | 30 | 3000 | <LOQ | Imidacloprid | 9.4000E-2 | 30 | 3000 | <LOQ |
| Aldicarb | 2.6000E-2 | 30 | 100 | <LOQ | Kresoxim Methyl | 4.2000E-2 | 30 | 1000 | <LOQ |
| Azoxystrobin | 8.1000E-2 | 10 | 3000 | <LOQ | Malathion | 8.2000E-2 | 30 | 2000 | <LOQ |
| Bifenazate | 1.4150E+0 | 30 | 3000 | <LOQ | Metalaxyl | 8.1000E-2 | 10 | 3000 | <LOQ |
| Bifenthrin | 4.3000E-2 | 30 | 500 | <LOQ | Methiocarb | 3.2000E-2 | 30 | 100 | <LOQ |
| Boscalid | 5.5000E-2 | 10 | 3000 | <LOQ | Methomyl | 2.2000E-2 | 30 | 100 | <LOQ |
| Captan | 6.1200E+0 | 30 | 3000 | <LOQ | methyl-Parathion | 1.7100E+0 | 10 | 100 | <LOQ |
| Carbaryl | 2.2000E-2 | 10 | 500 | <LOQ | Mevinphos | 2.1500E+0 | 10 | 100 | <LOQ |
| Carbofuran | 3.4000E-2 | 10 | 100 | <LOQ | Myclobutanil | 1.0290E+0 | 30 | 3000 | <LOQ |
| Chlorantraniliprole | 3.3000E-2 | 10 | 3000 | <LOQ | Naled | 9.5000E-2 | 30 | 500 | <LOQ |
| Chlordane | 1.0000E+1 | 10 | 100 | <LOQ | Oxamyl | 2.5000E-2 | 30 | 500 | <LOQ |
| Chlorfenapyr | 3.4000E-2 | 30 | 100 | <LOQ | Paclbutrazol | 6.5000E-2 | 30 | 100 | <LOQ |
| Chlormequat Chloride | 1.0800E-1 | 10 | 3000 | <LOQ | Pentachloronitrobenzene | 1.3200E+0 | 10 | 200 | <LOQ |
| Chlorpyrifos | 3.5000E-2 | 30 | 100 | <LOQ | Permethrin | 3.4300E-1 | 30 | 1000 | <LOQ |
| Clofentezine | 1.1900E-1 | 30 | 500 | <LOQ | Phosmet | 8.2000E-2 | 30 | 200 | <LOQ |
| Coumaphos | 3.7700E+0 | 48 | 100 | <LOQ | Piperonylbutoxide | 2.9000E-2 | 30 | 3000 | <LOQ |
| Cyfluthrin | 3.1100E+0 | 30 | 1000 | <LOQ | Prallethrin | 7.9800E-1 | 30 | 400 | <LOQ |
| Cypermethrin | 1.4490E+0 | 30 | 1000 | <LOQ | Propiconazole | 7.0000E-2 | 30 | 1000 | <LOQ |
| Daminozide | 8.8500E-1 | 30 | 100 | <LOQ | Propoxur | 4.6000E-2 | 30 | 100 | <LOQ |
| Diazinon | 4.4000E-2 | 30 | 200 | <LOQ | Pyrethrins | 2.3593E+1 | 30 | 1000 | <LOQ |
| Dichlorvos | 2.1820E+0 | 30 | 100 | <LOQ | Pyridaben | 3.2000E-2 | 30 | 3000 | <LOQ |
| Dimethoate | 2.1000E-2 | 30 | 100 | <LOQ | Spinetoram | 8.0000E-2 | 10 | 3000 | <LOQ |
| Dimethomorph | 5.8300E+0 | 48 | 3000 | <LOQ | Spinosad | 8.8000E-2 | 30 | 3000 | <LOQ |
| Ethoprophos | 3.6000E-1 | 30 | 100 | <LOQ | Spiromesifen | 2.6100E-1 | 30 | 3000 | <LOQ |
| Etofenprox | 1.1600E-1 | 30 | 100 | <LOQ | Spirotetramat | 8.9000E-2 | 30 | 3000 | <LOQ |
| Etoxazole | 9.5000E-2 | 30 | 1500 | <LOQ | Spiroxamine | 1.3100E-1 | 30 | 100 | <LOQ |
| Fenhexamid | 5.1000E-1 | 10 | 3000 | <LOQ | Tebuconazole | 6.7000E-2 | 30 | 1000 | <LOQ |
| Fenoxycarb | 1.0700E-1 | 30 | 100 | <LOQ | Thiacloprid | 6.4000E-2 | 30 | 100 | <LOQ |
| Fenpyroximate | 1.3800E-1 | 30 | 2000 | <LOQ | Thiamethoxam | 5.0000E-2 | 30 | 1000 | <LOQ |
| Fipronil | 1.0700E-1 | 30 | 100 | <LOQ | Trifloxystrobin | 3.7000E-2 | 30 | 3000 | <LOQ |
| Flonicamid | 5.1700E-1 | 30 | 2000 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

