

Space Gods Space Heads Iowa Gummy - Green Apple

Sample ID: ATL-23227

Internal Lab ID:

Client

Strain: -

Honest PPD

Matrix: Ingestible

Received: 08/16/2024

Lic. #

Type: Soft Chew

Completed: 09/05/2024

1038 Arlington St

Unit Weight: 5.744 g

Batch#: SH3GA24061001

Orlando, FL 32805



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 08/15/2024 | Complete |
| Residual Solvents | 08/26/2024 | Pass |
| Microbials | 08/30/2024 | Pass |
| Pesticides | 08/28/2024 | Pass |
| Heavy Metals | 09/05/2024 | Pass |
| Foreign Matter | 08/27/2024 | Pass |

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

| | | |
|---------------------------|---------------------------|------------------------------------|
| 0.04% Total THC | 0.04% Total CBD | 0.09% Total Cannabinoids |
|---------------------------|---------------------------|------------------------------------|

| Analyte | LOQ | Result | Result | Analyte | LOQ | Result | Result |
|---------|------|--------|---------|------------------|------|-------------|------------|
| | % | % | mg/unit | | % | % | mg/unit |
| CBDVa | 0.01 | ND | ND | CBN | 0.01 | ND | ND |
| CBDV | 0.01 | ND | ND | Δ9-THC | 0.01 | 0.04 | 2.5 |
| CBDa | 0.01 | ND | ND | Δ8-THC | 0.01 | ND | ND |
| CBGa | 0.01 | ND | ND | (6aR,9S)-d10-THC | 0.01 | ND | ND |
| CBG | 0.01 | ND | ND | (6aR,9R)-d10-THC | 0.00 | ND | ND |
| CBD | 0.01 | 0.04 | 2.4 | CBC | 0.01 | ND | ND |
| THCV | 0.01 | ND | ND | CBCa | 0.01 | ND | ND |
| Δ8-THCV | 0.00 | ND | ND | THCa | 0.01 | ND | ND |
| THCVa | 0.01 | ND | ND | Total | | 0.09 | 4.9 |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 08/15/2024

| | | |
|---|---|-------------------------------|
| NT Not Tested Moisture Content | NT Not Tested Water Activity | Pass Foreign Matter |
|---|---|-------------------------------|



Kim Dang
 Laboratory Manager
 09/05/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Space Gods Space Heads Iowa Gummy - Green Apple

Sample ID: ATL-23227

Internal Lab ID:

Client

Strain: -

Honest PPD

Matrix: Ingestible

Received: 08/16/2024

Lic. #

Type: Soft Chew

Completed: 09/05/2024

1038 Arlington St

Unit Weight: 5.744 g

Batch#: SH3GA24061001

Orlando, FL 32805

Pesticides

Pass

| Analyte | Limit | Result | Status | Analyte | Limit | Result | Status |
|---------------------|--------|--------|--------|-------------------------|-------|--------|--------|
| | PPB | PPB | | | PPB | PPB | |
| Acephate | 3000 | ND | Pass | Fipronil | 100.0 | ND | Pass |
| Acequinocyl | 2000 | ND | Pass | Fludioxonil | 3000 | ND | Pass |
| Azoxystrobin | 3000 | ND | Pass | Imazalil | 100.0 | ND | Pass |
| Bifenazate | 3000 | NR | NT | Kresoxim Methyl | 1000 | ND | Pass |
| Bifenthrin | 500.0 | ND | Pass | Malathion | 2000 | ND | Pass |
| Boscalid | 3000 | ND | Pass | Metalaxyl | 3000 | ND | Pass |
| Captan | 3000 | ND | Pass | Methiocarb | 100.0 | ND | Pass |
| Carbaryl | 500.0 | ND | Pass | Mevinphos | 100.0 | ND | Pass |
| Carbofuran | 100.0 | ND | Pass | Myclobutanil | 3000 | ND | Pass |
| Chlorantraniliprole | 3000 | ND | Pass | Naled | 500.0 | ND | Pass |
| Chlordane | 100.0 | ND | Pass | Pacllobutrazol | 100.0 | ND | Pass |
| Chlorfenapyr | 100.0 | ND | Pass | Parathion Methyl | 100.0 | ND | Pass |
| Chlorpyrifos | 100.0 | ND | Pass | Pentachloronitrobenzene | 200.0 | ND | Pass |
| Clofentezine | 500.0 | ND | Pass | Permethrin | 1000 | ND | Pass |
| Coumaphos | 100.0 | ND | Pass | Phosmet | 200.0 | ND | Pass |
| Cyfluthrin | 1000 | ND | Pass | Piperonyl Butoxide | 3000 | ND | Pass |
| Cypermethrin | 1000 | ND | Pass | Propiconazole | 1000 | ND | Pass |
| Diazinon | 200.0 | ND | Pass | Propoxur | 100.0 | ND | Pass |
| Dichlorvos | 100.0 | ND | Pass | Pyrethrins | 1000 | ND | Pass |
| Dimethoate | 100.0 | ND | Pass | Pyridaben | 3000 | ND | Pass |
| Dimethomorph | 3000 | ND | Pass | Spiroxamine | 100.0 | ND | Pass |
| Ethoprophos | 100.0 | ND | Pass | Tebuconazole | 1000 | ND | Pass |
| Etofenprox | 100.0 | ND | Pass | Thiamethoxam | 1000 | ND | Pass |
| Etoxazole | 1500.0 | ND | Pass | Trifloxystrobin | 3000 | ND | Pass |
| Fenoxycarb | 100.0 | ND | Pass | | | | |



Date Tested: 08/28/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Kim Dang
Laboratory Manager
09/05/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Space Gods Space Heads Iowa Gummy - Green Apple

| | | |
|-----------------------------|-------------------------|-------------------|
| Sample ID: ATL-23227 | Internal Lab ID: | Client: |
| Strain: - | | Honest PPD |
| Matrix: Ingestible | Received: 08/16/2024 | Lic. # |
| Type: Soft Chew | Completed: 09/05/2024 | 1038 Arlington St |
| Unit Weight: 5.744 g | Batch#: SH3GA24061001 | Orlando, FL 32805 |

Microbials

Pass

| Analyte | LOD CFU/g | Result CFU/g | Status |
|-------------------------------|--------------|--------------------|--------|
| Aerobic Bacteria | 10 | NR | NT |
| Aspergillus | 1 | Not Detected in 1g | Pass |
| Shiga toxin-producing E. Coli | 1 | Not Detected in 1g | Pass |
| Enterobacteriaceae | 10 | NR | NT |
| Salmonella | 1 | Not Detected in 1g | Pass |
| Staphylococcus aureus | 10 | NR | NT |
| Yeast & Mold | 10 | Not Detected in 1g | Pass |

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 08/30/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

| Analyte | Limit % by weight | Result % by weight | Status |
|------------------------|----------------------|-----------------------|--------|
| Packaging Contaminants | 1 | <LOD | Pass |
| Insects | 1 | <LOD | Pass |
| Feces | 0.5 | <LOD | Pass |
| Mold | 1 | <LOD | Pass |
| FM Other | | <LOD | Pass |
| Hair | 1 | <LOD | Pass |

Document ID:

Date Tested: 08/27/2024

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

| Analyte | LOQ µg/g | Limit µg/g | Result µg/g | Status |
|---------|-------------|---------------|----------------|--------|
| Arsenic | 100 | 1500 | ND | Pass |
| Cadmium | 100 | 500 | ND | Pass |
| Lead | 100 | 500 | ND | Pass |
| Mercury | 100 | 3000 | ND | Pass |

Date Tested: 09/05/2024

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034




Kim Dang
Laboratory Manager
09/05/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Space Gods Space Heads Iowa Gummy - Green Apple

| | | |
|-----------------------------|------------------------------|-------------------|
| Sample ID: ATL-23227 | Internal Lab ID: | Client: |
| Strain: - | | Honest PPD |
| Matrix: Ingestible | Received: 08/16/2024 | Lic. # |
| Type: Soft Chew | Completed: 09/05/2024 | 1038 Arlington St |
| Unit Weight: 5.744 g | Batch#: SH3GA24061001 | Orlando, FL 32805 |

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|---------------------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| 1,1 Dichloroethene | 0.7 | 8 | ND | Pass |
| Ethylene Dichloride | 0.2 | 2 | ND | Pass |
| Acetone | 59 | 750 | ND | Pass |
| Acetonitrile | 5 | 60 | ND | Pass |
| Benzene | 0.08 | 1 | ND | Pass |
| Chloroform | 0.2 | 2 | ND | Pass |
| Ethanol | 79 | 5000 | ND | Pass |
| Ethyl Acetate | 20 | 400 | 43.140 | Pass |
| Ethyl Ether | 40 | 500 | ND | Pass |
| Ethylene Oxide | 0.4 | 5 | ND | Pass |
| Heptane | 40 | 5000 | ND | Pass |
| Isopropanol | 40 | 500 | ND | Pass |
| Methanol | 20 | 250 | ND | Pass |
| Methylene Chloride | 10 | 125 | ND | Pass |
| Butane | 71 | 5000 | ND | Pass |
| Hexane | 5 | 250 | ND | Pass |
| Pentane | 59 | 750 | ND | Pass |
| Propane | 165 | 5000 | ND | Pass |
| Toluene | 12 | 150 | ND | Pass |
| Trichloroethene | 2 | 25 | ND | Pass |
| Xylenes | 12 | 150 | ND | Pass |



Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 08/26/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001




Kim Dang
Laboratory Manager
09/05/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

