



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

1 of 3

CAL D: 20230927 002  
Samp e: CA230927 001 002  
(Prophet) Wi d Berry  
Strain: (Prophet) Wi d Ber y  
Category: ngestib e  
Type: Other

Pacific Manufacturing and Design, LLC  
Lic. #  
9520 B ack Mountain Rd  
SAN D EGO, CA 92126  
Lic. #

Batch#:   
Batch Size Co ected:   
Tota Batch Size:   
Co ected: 10/06/2023; Received: 10/06/2023  
Comp eted: 10/06/2023

|   |  |   |   |                      |
|---|--|---|---|----------------------|
| Moisture<br>NT<br>Water Activity<br><b>0.652 aw</b> | $\Delta$ 9-THC<br><b>133.23 mg/unit</b><br>6.66 mg/serving | CBD<br><b>137.36 mg/unit</b><br>6.87 mg/serving | Total Cannabinoids<br><b>276.69 mg/unit</b><br>13.84 mg/serving | Total Terpenes<br>NT |
|---|--|---|---|----------------------|

| Summary          | SOP Used               | Date Tested | Pass          |
|------------------|------------------------|-------------|---------------|
| Batch            | POT PREP 002           | 09/27/2023  | Pass          |
| Cannabinoids     | WA PREP 001            | 10/03/2023  | Comp ete      |
| Water Activity   | RS PREP 001            | 10/02/2023  | Pass 0.652 aw |
| Residua So vents | M CRO PREP 001         | 10/04/2023  | Pass          |
| Microbia s       | PESTMICO LC PREP 001   | 10/02/2023  | Pass          |
| Mycotoxins       | HM PREP 001            | 10/02/2023  | Pass          |
| Heavy Meta s     | FM PREP 001            | 10/02/2023  | Pass          |
| Foreign Matter   | PESTMICO LC PREP 001 / | 10/02/2023  | Pass          |
| Pesticides       | PEST GC PREP 001       | 10/02/2023  | Pass          |



Scan to see results

## Cannabinoid Profile

1 Unit = package, 83.52 g. 20 serving(s) per package.

| Ana yte        | LOQ (mg/g) | LOD (mg/g) | %     | mg/g | mg/unit | Ana yte  | LOQ (mg/g) | LOD (mg/g) | %    | mg/g | mg/unit |
|----------------|------------|------------|-------|------|---------|----------|------------|------------|------|------|---------|
| THCa           | 0.0128     | 0.0043     | ND    | ND   | ND      | CBGa     | 0.0046     | 0.0015     | ND   | ND   | ND      |
| $\Delta$ 9 THC | 0.0046     | 0.0010     | 0.160 | 1.60 | 133.23  | CBG      | 0.0046     | 0.0005     | <LOQ | <1   | <LOQ    |
| $\Delta$ 8 THC | 0.0046     | 0.0014     | 0.006 | 0.06 | 5.26    | CBN      | 0.0046     | 0.0005     | ND   | ND   | ND      |
| THCV           | 0.0046     | 0.0006     | 0.001 | 0.01 | 0.84    | Tota THC |            |            | 0.17 | 1.66 | 138.50  |
| CBDa           | 0.0049     | 0.0016     | ND    | ND   | ND      | Tota CBD |            |            | 0.16 | 1.64 | 137.36  |
| CBD            | 0.0046     | 0.0008     | 0.164 | 1.64 | 137.36  | Tota     |            |            | 0.33 | 3.31 | 276.69  |
| CBDV           | 0.0046     | 0.0004     | <LOQ  | <1   | <LOQ    |          |            |            |      |      |         |
| CBC            | 0.0076     | 0.0025     | ND    | ND   | ND      |          |            |            |      |      |         |

To al THC=THCa \* 0.877  $\Delta$ 9 THC  $\Delta$ 8 THC; To al CBD = CBDa \* 0.877 CBD. OD= imi o De ec ion, OQ= imi o Quan i a ion, ND= No De ec ed, NR= No Repor ed. o ency is repor ed on a dry weigh basis. ns rumen a ion and analysis SO s used: Cannabinoids:UH C DAD( OT NST 005),Mois ure:Mois ure Analyzer(MO STUR 001),Wa er Ac ivi y:Wa er Ac ivi y Me er(WA NST 002), oreign Ma erial:Microscope( OR GN 001). Densi y measured a 19 24 °C, Wa er Ac ivi y measured a 0 90% RH. All QA submi ed by he clien , All CA S a e Compliance sampled using SAM SO 001.

## Terpene Profile

| Ana yte | LOQ (mg/g) | LOD (mg/g) | % | mg/g | Ana yte | LOQ (mg/g) | LOD (mg/g) | % | mg/g |
|---------|------------|------------|---|------|---------|------------|------------|---|------|
|---------|------------|------------|---|------|---------|------------|------------|---|------|

NR= No Repor ed (no analysis was per ormed), ND= No De ec ed ( he concen ra ion is less hen he imi o De ec ion ( OD)). Analy cal ins rumen a ion used: HS GC MS; samples analyzed according o SO T R NST 003.



nfinte Chemica Ana ysis Labs  
8312 Miramar Ma  
San Diego, CA  
(858) 623 2740  
www.infiniteCAL.com  
Lic# C8 000047 L C

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
10/06/2023

Confident Cannabis  
A Rights Reserved  
support@confidentcannabis.com  
(866) 506 5866  
www.confidentcannabis.com



This produc has been es ed by nfni e Chemical Analysis, C using valid es ing me hodologies and a quali y sys em as required by s a e law. All QC samples were per ormed and me he prescribed accep ance cri eria in 16 CCR sec ion 15730, pursuan o 16 CCR sec ion 15726(e)(13). Values repor ed rela e only o he produc es ed. nfni e Chemical Analysis, C makes no claims as o he e ficacy, sa e y or o her risks associa ed wi h any de ec ed or non de ec ed levels o any compounds repor ed herein. This Cer ifica e shall no be reproduced excep in ull, wi hou he wri en approval o nfni e Chemical Analysis, C.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

2 of 3

CAL ID: 20230927 002  
Sample: CA230927 001 002  
(Prophet) Wild Berry  
Strain: (Prophet) Wild Berry  
Category: ingestible  
Type: Other

Pacific Manufacturing and Design, LLC  
Lic. #  
9520 Back Mountain Rd  
SAN DIEGO, CA 92126  
Lic. #

Batch#:   
Batch Size Collected:   
Total Batch Size:   
Collected: 10/06/2023; Received: 10/06/2023  
Completed: 10/06/2023

## Residual Solvent Analysis

| Category 1          | LOQ  | LOD   | Limit | Status | Category 2 | LOQ           | LOD  | Limit  | Status | Category 2 | LOQ  | LOD       | Limit | Status |       |      |      |
|---------------------|------|-------|-------|--------|------------|---------------|------|--------|--------|------------|------|-----------|-------|--------|-------|------|------|
|                     | µg/g | µg/g  | µg/g  | µg/g   |            | µg/g          | µg/g | µg/g   | µg/g   |            | µg/g | µg/g      | µg/g  | µg/g   |       |      |      |
| 1,2 Dichloro Ethane | ND   | 0.264 | 0.088 | 1      | Pass       | Acetone       | ND   | 51.246 | 0.716  | 5000       | Pass | n Hexane  | ND    | 0.281  | 0.027 | 290  | Pass |
| Benzene             | ND   | 0.052 | 0.017 | 1      | Pass       | Acetonitrile  | ND   | 0.42   | 0.14   | 410        | Pass | sopropano | ND    | 2.86   | 0.614 | 5000 | Pass |
| Chloroform          | ND   | 0.076 | 0.025 | 1      | Pass       | Butane        | ND   | 4.849  | 0.748  | 5000       | Pass | Methane   | ND    | 2.602  | 0.867 | 3000 | Pass |
| Ethylene Oxide      | ND   | 0.579 | 0.179 | 1      | Pass       | Ethanol       | ND   | 7.575  | 2.525  | 5000       | Pass | Pentane   | ND    | 5.075  | 1.692 | 5000 | Pass |
| Methylene Chloride  | ND   | 0.729 | 0.08  | 1      | Pass       | Ethyl Acetate | ND   | 2.288  | 0.175  | 5000       | Pass | Propane   | ND    | 9.709  | 3.236 | 5000 | Pass |
| Trichloroethene     | ND   | 0.145 | 0.028 | 1      | Pass       | Ethyl Ether   | ND   | 2.869  | 0.389  | 5000       | Pass | Toluene   | ND    | 0.864  | 0.067 | 890  | Pass |
|                     |      |       |       |        |            | Heptane       | ND   | 2.859  | 0.496  | 5000       | Pass | Xylenes   | ND    | 2.572  | 0.326 | 2170 | Pass |

NR=No Report (no analysis was performed), ND=No Detected (the concentration is less than the limit of detection (LOD)). Analytical instrument used: HS GC MS; samples analyzed according to SOP RST 003.

## Heavy Metal Screening

|         | LOQ   | LOD   | Limit | Status |      |
|---------|-------|-------|-------|--------|------|
|         | µg/g  | µg/g  | µg/g  | µg/g   |      |
| Arsenic | ND    | 0.009 | 0.003 | 1.5    | Pass |
| Cadmium | <LOQ  | 0.002 | 0.001 | 0.5    | Pass |
| Lead    | 0.040 | 0.004 | 0.001 | 0.5    | Pass |
| Mercury | ND    | 0.014 | 0.005 | 3      | Pass |

NR=No Report (no analysis was performed), ND=No Detected (the concentration is less than the limit of detection (LOD)). Analytical instrument used: C MS; samples analyzed according to SOP HM NST 003.

## Microbiological Screening

|                       | Limit | Result       | Status |
|-----------------------|-------|--------------|--------|
|                       | CFU/g | CFU/g        |        |
| Aspergillus flavus    |       | NR           | NT     |
| Aspergillus fumigatus |       | NR           | NT     |
| Aspergillus niger     |       | NR           | NT     |
| Aspergillus terreus   |       | NR           | NT     |
| STEC                  |       | Not Detected | Pass   |
| Salmonella SPP        |       | Not Detected | Pass   |

ND=No Detected. Analytical instrument used: qPCR; samples analyzed according to SOP M CRO NST 001.



Infinite Chemical Analysis Labs  
8312 Miramar Ma  
San Diego, CA  
(858) 623 2740  
www.infiniteCAL.com  
Lic# C8 0000047 L C

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
10/06/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506 5866  
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All QC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

3 of 3

CAL D: 20230927 002  
Sample: CA230927 001 002  
(Prophet) Wild Berry  
Strain: (Prophet) Wild Berry  
Category: ingestible  
Type: Other

Pacific Manufacturing and Design, LLC  
Lic. #  
9520 Back Mountain Rd  
SAN DIEGO, CA 92126  
Lic. #

Batch#:   
Batch Size Collected:   
Total Batch Size:   
Collected: 10/06/2023; Received: 10/06/2023  
Completed: 10/06/2023


## Chemical Residue Screening

| Category 1       | LOQ  | LOD   | Status | Mycotoxins | LOQ              | LOD   | Limit | Status |        |      |
|------------------|------|-------|--------|------------|------------------|-------|-------|--------|--------|------|
|                  | µg/g | µg/g  | µg/g   |            | µg/kg            | µg/kg | µg/kg | µg/kg  |        |      |
| Aldicarb         | ND   | 0.065 | 0.022  | Pass       | B1               | ND    | 7.88  | 2.6    | Tested |      |
| Carbofuran       | ND   | 0.030 | 0.009  | Pass       | B2               | ND    | 6.18  | 2.04   | Tested |      |
| Chlordane        | ND   | 0.075 | 0.025  | Pass       | G1               | ND    | 8.99  | 2.97   | Tested |      |
| Chlorfenapyr     | ND   | 0.075 | 0.025  | Pass       | G2               | ND    | 5.72  | 1.89   | Tested |      |
| Chlorpyrifos     | ND   | 0.053 | 0.018  | Pass       | Ochratoxin A     | ND    | 11.72 | 3.87   | 20     | Pass |
| Coumaphos        | ND   | 0.056 | 0.018  | Pass       | Total Aflatoxins | ND    |       | 20     | Pass   |      |
| Daminozide       | ND   | 0.079 | 0.026  | Pass       |                  |       |       |        |        |      |
| Dichlorvos       | ND   | 0.067 | 0.022  | Pass       |                  |       |       |        |        |      |
| Dimethoate       | ND   | 0.036 | 0.012  | Pass       |                  |       |       |        |        |      |
| Ethoprophos      | ND   | 0.053 | 0.017  | Pass       |                  |       |       |        |        |      |
| Etofenprox       | ND   | 0.030 | 0.008  | Pass       |                  |       |       |        |        |      |
| Fenoxycarb       | ND   | 0.043 | 0.014  | Pass       |                  |       |       |        |        |      |
| Fipronil         | ND   | 0.045 | 0.015  | Pass       |                  |       |       |        |        |      |
| Imazalil         | ND   | 0.047 | 0.016  | Pass       |                  |       |       |        |        |      |
| Methiocarb       | ND   | 0.047 | 0.016  | Pass       |                  |       |       |        |        |      |
| Mevinphos        | ND   | 0.042 | 0.014  | Pass       |                  |       |       |        |        |      |
| Paclbutrazol     | ND   | 0.040 | 0.013  | Pass       |                  |       |       |        |        |      |
| Parathion Methyl | ND   | 0.024 | 0.008  | Pass       |                  |       |       |        |        |      |
| Propoxur         | ND   | 0.047 | 0.016  | Pass       |                  |       |       |        |        |      |
| Spiroxamine      | ND   | 0.032 | 0.011  | Pass       |                  |       |       |        |        |      |
| Thiacloprid      | ND   | 0.042 | 0.014  | Pass       |                  |       |       |        |        |      |

| Category 2          | LOQ  | LOD   | Limit | Status | Category 2 | LOQ                     | LOD  | Limit | Status |     |      |
|---------------------|------|-------|-------|--------|------------|-------------------------|------|-------|--------|-----|------|
|                     | µg/g | µg/g  | µg/g  | µg/g   |            | µg/g                    | µg/g | µg/g  | µg/g   |     |      |
| Abamectin           | ND   | 0.030 | 0.010 | 0.3    | Pass       | Kresoxim Methyl         | ND   | 0.038 | 0.012  | 1   | Pass |
| Acephate            | ND   | 0.050 | 0.016 | 5      | Pass       | Malathion               | ND   | 0.035 | 0.012  | 5   | Pass |
| Acequinocyl         | ND   | 0.059 | 0.019 | 4      | Pass       | Metalaxyl               | ND   | 0.031 | 0.010  | 15  | Pass |
| Acetamiprid         | ND   | 0.044 | 0.015 | 5      | Pass       | Methomyl                | ND   | 0.048 | 0.016  | 0.1 | Pass |
| Azoxystrobin        | ND   | 0.029 | 0.010 | 40     | Pass       | Myclobutanil            | ND   | 0.055 | 0.018  | 9   | Pass |
| Bifenazate          | ND   | 0.035 | 0.012 | 5      | Pass       | Naled                   | ND   | 0.051 | 0.017  | 0.5 | Pass |
| Bifenthrin          | ND   | 0.040 | 0.013 | 0.5    | Pass       | Oxamyl                  | ND   | 0.046 | 0.015  | 0.3 | Pass |
| Boscalid            | ND   | 0.060 | 0.020 | 10     | Pass       | Pentachloronitrobenzene | ND   | 0.054 | 0.018  | 0.2 | Pass |
| Captan              | ND   | 0.358 | 0.120 | 5      | Pass       | Permethrin              | ND   | 0.030 | 0.008  | 20  | Pass |
| Carbaryl            | ND   | 0.049 | 0.016 | 0.5    | Pass       | Phosmet                 | ND   | 0.038 | 0.012  | 0.2 | Pass |
| Chlorantraniliprole | ND   | 0.063 | 0.021 | 40     | Pass       | Piperonyl Butoxide      | ND   | 0.030 | 0.008  | 8   | Pass |
| Clofentezine        | ND   | 0.039 | 0.013 | 0.5    | Pass       | Prallethrin             | ND   | 0.068 | 0.023  | 0.4 | Pass |
| Cyfluthrin          | ND   | 0.056 | 0.019 | 1      | Pass       | Propiconazole           | ND   | 0.059 | 0.019  | 20  | Pass |
| Cypermethrin        | ND   | 0.044 | 0.015 | 1      | Pass       | Pyrethrins              | ND   | 0.030 | 0.004  | 1   | Pass |
| Diazinon            | ND   | 0.030 | 0.006 | 0.2    | Pass       | Pyridaben               | ND   | 0.035 | 0.012  | 3   | Pass |
| Dimethomorph        | ND   | 0.042 | 0.014 | 20     | Pass       | Spinetoram              | ND   | 0.030 | 0.006  | 3   | Pass |
| Etoxazole           | ND   | 0.030 | 0.008 | 1.5    | Pass       | Spinosad                | ND   | 0.030 | 0.004  | 3   | Pass |
| Fenhexamid          | ND   | 0.039 | 0.013 | 10     | Pass       | Spiromesifen            | ND   | 0.042 | 0.014  | 12  | Pass |
| Fenpyroximate       | ND   | 0.030 | 0.010 | 2      | Pass       | Spirotetramat           | ND   | 0.041 | 0.013  | 13  | Pass |
| Flonicamid          | ND   | 0.081 | 0.027 | 2      | Pass       | Tebuconazole            | ND   | 0.044 | 0.014  | 2   | Pass |
| Fludioxonil         | ND   | 0.046 | 0.015 | 30     | Pass       | Thiamethoxam            | ND   | 0.055 | 0.018  | 4.5 | Pass |
| Hexythiazox         | ND   | 0.078 | 0.026 | 2      | Pass       | Trifloxystrobin         | ND   | 0.031 | 0.010  | 30  | Pass |
| Imidacloprid        | ND   | 0.071 | 0.023 | 3      | Pass       |                         |      |       |        |     |      |

## Other Analyte(s):

NR= No Report (no analysis was performed), ND= No Detected (the concentration is less than the limit of detection (LOD)). Analytical instrument used: C MS MS & GC MS MS; samples analyzed according to SOPs STMYCO C NST 004 and ST GC NST 003.



infinite Chemical Analysis Labs  
8312 Miramar Ma  
San Diego, CA  
(858) 623 2740  
www.infiniteCAL.com  
Lic# C8 0000047 L C

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
10/06/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506 5866  
www.confidentcannabis.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All QC samples were performed and meet the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.

## Certificate of Analysis



|             |                      |                        |  |
|-------------|----------------------|------------------------|--|
| Sample Name | (Prophet) Wild Berry | ICAL ID                | 20230927-002                             |
| Batch       |                      | Registering Laboratory | San Diego                                |
| Client      | PMAD                 | Contact                | Customer Service Team                    |
| Address     |                      | Address                | 8312 Miramar Mall<br>San Diego, CA 92121 |
| Telephone   |                      | Telephone              | (858) 623-2740                           |
| Email       |                      | Email                  | questions@infinitecal.com                |
| Sampler     |                      | COA Issue Date         | October 13, 2023                         |

This report supersedes any previous revision with this reference. This document must not be reproduced, except in full. If samples were provided by the customer, results apply only to the samples 'as received' and responsibility for representative sampling rests with the customer. Water results are reported on an 'as is' basis. Infinite Chemical Analysis Labs, LLC makes no claims pertaining to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein.

### Definitions

| <: Less Than | >: Greater Than | RP: Result Pending | MPN: Most Probable Number | CFU: Colony Forming Units | ---: Not Requested | NA: Not Applicable | ND: Not Detected | MDL: Method Detection Limit | LCMRL: Lowest Concentration Minimum Reporting Level | NT: Not Tested | ~: Estimated | TBA: To Be Advised | TNTC: Too numerous to count |

### Microbial Plate Panel

| Analyte                   | CFU/g | MDL | Client Limit <sup>1</sup> | Status <sup>2</sup> |
|---------------------------|-------|-----|---------------------------|---------------------|
| Aerobic (APC)             | NT    | 10  | ---                       |                     |
| Coliforms                 | NT    | 10  | ---                       |                     |
| <i>E. coli</i>            | NT    | 10  | ---                       |                     |
| Yeast & Mold              | <MDL  | 10  | ---                       | ---                 |
| <i>Enterobacteriaceae</i> | NT    | 10  | ---                       |                     |
| <i>Salmonella spp.</i>    | NT    | 10  | ---                       |                     |
| <i>Listeria spp.</i>      | NT    | 10  | ---                       |                     |

### Analysis Location

All analyses were completed by Infinite Chemical Analysis – San Diego.

### Analysis Comments

Method ID: MICRO-PLATE-001

<sup>1</sup>Client limit is self-selected and will be replaced by official CA state limits when they become available.

<sup>2</sup>Status of Pass/Fail based on client limit selected.

*Josh M Swider*

Josh Swider  
Lab Director, CEO  
October 13, 2023