

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

Space Pod - Live Resin - Moon Dust Sample Matrix: CBD/HEMP **Derivative Products** (Inhalation - Heated)



Certificate of Analysis

Compliance Test

Client Information: SPACE GODS

Batch # 008

Test Reg State: Florida

2413 S BROADWAY SANTA ANA, CA 92707 **Batch Date:** 2023-09-18 Extracted From: Hemp

Initial Gross Weight: 63.350 g

Number of Units:

Net Weight per Unit: 3000.000 mg

Order # SPA230921-060001 Order Date: 2023-09-21 Sample # AAEW476

Sampling Date: 2023-09-22 Lab Batch Date: 2023-09-22 Completion Date: 2023-09-25 Potency **Tested**



Total Active THC

A D II 0/D II 40 D I 40 (1010)							
Delta 8/Delta 10 Potency 13 - (LCUV))	Tested			
Specimen Weight	: 102.000 mg			SOP13.052 (LCUV)		
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)			
Delta-8 THC	2.60E-5	0.0015	689.240	68.924			
CBN	1.40E-5	0.015	8.060	0.806			
Delta-10 THC	3.00E-6	0.0015	0.610	0.061			
Delta6a10a-THC	8.47E-5	0.0015	0.420	0.042			
CBGA	8.00E-5	0.015	0.220	0.022			
CBC	1.80E-5	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>			
CBD	5.40E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>			
CBDA	1.00E-5	0.015	<loq< td=""><td><l0q< td=""><td></td></l0q<></td></loq<>	<l0q< td=""><td></td></l0q<>			
CBDV	6.50E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>			
CBG	2.48E-4	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>			
Delta-9 THC	1.30E-5	0.0015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>			
THCA-A	3.20E-5	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>			
THCV	7.00E-6	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>			
Total Active CBD			<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>			

<L00

<L00

		♦ Potency Summary					
	Total Delta 8		Total Delta 10				
	68.924%	2,067.720mg	0.061%	1.830mg			
	Total Active THC None Detected		Total Active CBD None Detected				
	Total CBG		Total CBN				
	0.019%	0.570mg	0.806%	24.180mg			
Other Cannabinoids			Total Cannabinoids				
	0.042%	1.26mg	69.852%	2,095.560mg			

Lab Director/Principal Scientist Aixia Sun



-VAHCA

D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + DeltaF-THC + Total CBC + Total THC + CBL + Total THC + CBL + Total CBC + Total CBC + Total CBC + Total THC + Total THC-O-Acetate + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, (pg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (pg/g), (au) = Water Activity, (mg/kg) = Milligram per Klogarm, ACS sess simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.034, Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

QA By: 1057 on 2023-09-25 16:27:58 V1